

IN THE CLAIMS

1. **(Currently Amended)** An antenna unit, comprising:

~~elements~~ shape, at least two elements, each of said at least two elements
having a coil ~~shape;~~ shape, each coil shape having a diameter different than the
other coil shapes; and

a case for covering said elements having the coil shape, wherein:

said case has one or plural opening parts within the range keeping the
durability of the body of said case.

2. **(Currently Amended)** An antenna unit in accordance with claim 1,
wherein:

at least one of said plural opening parts is formed in said case at the
position near the part where a current flowing in said at least two elements is
large.

3. **(Currently Amended)** An antenna unit in accordance with claim 1,
wherein:

said at least two elements are connected in parallel, and

at least one of said opening parts is formed at the position near the part
where said at least two elements are ~~joined-~~ joined.

4. **(Currently Amended)** An antenna unit in accordance with claim 1,
wherein:

at least one of said opening parts is formed at the position near the part where a power supply point to said at least two elements is formed.

5. **(Original)** An antenna unit in accordance with claim 1, wherein:

a door is formed at the position of each of said plural opening parts, and said door is opened when it is required.

6. **(Original)** An antenna unit in accordance with claim 1, wherein:

said case is made of a resin.

7. **(Currently Amended)** A radio communication terminal, comprising:

an antenna unit, wherein:

said antenna unit, ~~comprising:~~ comprises:

~~elements~~ elements, each of said at least two elements having a coil ~~shape;~~ shape, each coil shape having a different diameter than the other coil shapes; and

a case for covering said elements having the coil shape, wherein:

said case has one or plural opening parts within the range keeping the durability of the body of said case.

8. **(Currently Amended)** A radio communication terminal in accordance with claim 7, wherein:

at least one of said plural opening parts is formed in said case at the

position near the part where a current flowing in said at least two elements is large.

9. **(Currently Amended)** A radio communication terminal in accordance with claim 7, wherein:

said at least two elements are connected in parallel, and

at least one of said opening parts is formed at the position near the part where said at least two elements are ~~jointed~~ joined.

10. **(Currently Amended)** A radio communication terminal in accordance with claim 7, wherein:

at least one of said opening parts is formed at the position near the part where a power supply point to said at least two elements is formed.

11. **(Original)** A radio communication terminal in accordance with claim 7, wherein:

a door is formed at the position of each of said plural opening parts, and said door is opened when it is required.

12. **(Original)** A radio communication terminal in accordance with claim 7, wherein:

said case is made of a resin.